



**A BETTER STICK!**

We offer the industries only 50 Foot Telescopic Hot Stick.

## SMOOTHER SURFACE

Conventional fiberglass construction uses a woven matt. This creates pockets and voids where dirt and moisture can collect. Our unique non-woven fiberglass is unidirectional which



Woven Fiberglass



Non-woven Fiberglass

creates a smoother surface. The BLUE STRIPE® Fiberglass Hot Sticks have a lineman friendly grip, stay cleaner longer, and are easier to clean and meet standards.

## EPOXY RESIN

The BLUE STRIPE® Fiberglass Hot Stick line uses Epoxy resin which is the most water resistant, durable, and longest lasting resin available and has superior electrical properties. Our sticks have a very high resistance to failure due to water absorption or delamination.

## HIGH PERFORMANCE CLOSED CELL FOAM

Tip sections and foam filled sticks offer an added measure of safety by preventing water from entering the inside. Our superior Closed Cell Foam construction is durable and long lasting; extending the safety margin.



## EASY TIP LOCK REPLACEMENT (patent pending)



Our patent pending Easy Tip Lock Replacement feature saves time and money. Buttons can be replaced without sacrificing the

entire tip section. The repair is easy enough to be done in the field so sticks stay on the job longer and repair costs go down.

## BLUE STRIPE® PATENTED ALIGNMENT FEATURE

The most revolutionary design change to hot sticks since fiberglass has to be our patented BLUE STRIPE® alignment feature. Extending even our 50 footer is easy with this ingenious button alignment feature.

## CNC MACHINED BUTTONS & SPLINE ENDS

The most vulnerable parts of any stick are the spring loaded plastic buttons or the cast spline ends. Molded and cast parts can be less expensive to produce, but are often less durable. We machine each button and aluminum spline end out of solid material.



## APPROVED AND IN STOCK

Our BLUE STRIPE® Fiberglass Hot Sticks meet all applicable industry standards, including OSHA Sub V Sec. 1926.951(d) and ASTM F1826. Our U.S. production capabilities are able to stay ahead of demand so we always have your next stick in stock.

[sales@utilityolutionsinc.com](mailto:sales@utilityolutionsinc.com)

# BLUE STRIPE® Fiberglass Hot Sticks



## BETTER CONSTRUCTION

**UNIDIRECTIONAL FIBERGLASS  
EPOXY RESIN  
HIGH PERFORMANCE CLOSED CELL FOAM  
CNC MACHINED BUTTONS & SPLINE ENDS**



## BETTER FEATURES

**BLUE STRIPE® PATENTED ALIGNMENT FEATURE  
EASY TIP LOCK REPLACEMENT (patent pending)  
INDUSTRY PROVEN AND IN STOCK**

	SIZE	CLOSED LENGTH	BASE DIAMETER	NO. OF SECTIONS	WEIGHT	OPERATING LENGTHS	PROTECTIVE BAG
<b>GROUND OPERABLE</b>							
USTS-050	50 FT.	68"	3 1/2"	11	20 lb	50',45',40',35',30'	USSB-006
USTS-045	45 FT.	66"	3 1/8"	10	16 lb 8 oz	45',40',35',30',26'	USSB-006
USTS-040	40 FT.	65"	2 7/8"	9	13 lb 8 oz	40',35',30',26',21'	USSB-006
USTS-035	35 FT.	63"	2 5/8"	8	11 lb	35',30',26',21',17'	USSB-006
USTS-030	30 FT.	62"	2 3/8"	7	8 lb 14 oz	30',26',21',17'	USSB-006
USTS-025	25 FT.	60"	2 1/8"	6	6 lb 14 oz	26',21',17'	USSB-005
USTS-020	20 FT.	58"	1 7/8"	5	5 lb 3 oz	21',17'	USSB-005
USTS-016	16 FT.	56"	1 5/8"	4	4 lb	16',12'	USSB-005
USSA-ETE*	5 FT.	56"	1 1/4"	1	1 lb	adds 56"	
<b>BUCKET OPERABLE</b>							
USTS-012	12 FT.	30"	2 5/8"	7	5 lb 11 oz	12'	USSB-003
USTS-010	10 FT.	28"	2 3/8"	6	4 lb 11 oz	10'	USSB-003
USTS-008	8 FT.	26"	2 1/8"	5	3 lb 11 oz	8'	USSB-003
USTS-006	6 FT.	26"	1 7/8"	4	2 lb 8 oz	6'	USSB-003
USTS-004	4 FT.	26"	1 5/8"	3	2 lb	4'	USSB-003

[sales@utilityolutionsinc.com](mailto:sales@utilityolutionsinc.com)

[www.utilityolutionsinc.com](http://www.utilityolutionsinc.com)